

ELVIAL

SL33 FLAT EDITION




SLIDING SYSTEM

The ELVIAL SL33 FLAT EDITION aluminium system ensures your space will be safe and insulated but also sports the features and benefits of a flat track; augmented accessibility and a more refined aesthetic.

ELVIAL

SL33 FLAT EDITION

The ELVIAL SL33 FLAT EDITION is specially devised to accomodate all users of a living or working space. The flat tracks create a minimal frame of just 22mm



SLIDING
SUCCESSIVE
CONSTRUCTIONS




2-Sash




2-Sash with flyscreen




2-Sash with flyscreen -
glazing combination



4-Sash meeting stile



4-Sash meeting stile with flyscreen



3-Sash

INWALL SLIDING
SUCCESSIVE
CONSTRUCTIONS



1-Sash inwall




1-Sash inwall with flyscreen




1-Sash inwall with shutter



1-Sash inwall with flyscreen and shutter



2-Sash inwall



2-Sash inwall with flyscreen



2-Sash inwall with shutter



2-Sash inwall with flyscreen and
shutter

TECHNOLOGY

- 1


Flat track height **22mm**.
Visible surface **88mm**
- 2

Excellent operation even under extreme sun light thanks to **anti-distortion polyamides** also minimize the banana effect
- 3

Option for single or double glazing up to **24mm**
- 4

Four mullion width types **25mm, 56mm, 79mm and 92mm**
- 5

Track cutting **45°** and Glazing sash cutting **45°, 90°**



IDENTITY

DESIGN

PROPERTIES

EXTRA
FEATURES

HANDLES FOR UNIQUE
STYLE



Inner Handle



Outer Flush Pull

COLORS



Black



Inox Satine



Natural Anodized

Sash Depth			33 mm
Visible Height		[sash 88 mm]	101 mm
		[sash 75 mm]	88 mm
Middle Mullion Width Successive		[sash 88 mm]	92 mm
		[sash 75 mm]	79 mm
		[sash 53 mm]	56 mm
		[sash 25 mm]	25 mm
Meeting Stile Construction Width Meeting Stile		[sash 88 mm]	194 mm
		[sash 75 mm]	168 mm
Max Sash Height			2.400 mm
Max Sash Width			1.300 mm
Max Sash Weight			120 kg
Max Glass Thickness			24 mm



SEE LIFE FROM A DIFFERENT
VIEW THROUGH ELVIAL'S
ALUMINIUM SYSTEMS

DISCOVER OUR INNOVATIVE TECH

ELVIAL I² INSULATION TECHNOLOGY
ELVIAL PRE-ANODIZING 2IN1

DISCOVER MORE ARCHITECTURAL SYSTEMS

ELVIAL SL33 CLASSIC
ELVIAL SL33_MD

ESSENCE W67 HI²
ESSENCE W67BS HI²
ESSENCE W67ST HI²

ELVIAL W59 SI²
ELVIAL W60BS SI²

ELVIAL SL46 SI² FLAT EDITION
ELVIAL SL46 SI² CLASSIC

ESSENCE D67 HI²

ESSENCE SD55
ESSENCE CLADDING CL180

elvial.com

While every effort has been made to ensure information accuracy,
ELVIAL bears no responsibility for typographic errors or omissions.
Photographs may differ from the actual product.
This document is subject to change without prior notice.
Copyright © ELVIAL 2026 G.EM.I 014493035000



ELV1TRIFOLDS33FLAT.GR.202603