

ELVIAL

elVIAL

SL33_MD




SLIDING SYSTEM

One of ELVIAL most elegant aluminium solutions is now redesigned and available with upgraded features. Thermal insulation and security combined with a noiseless system operation, all in a new minimal look. When requirements rise, ELVIAL is steadily ready with an answer

ELVIAL

SL33_MD

It's refreshed design and upgraded features render it a well crafted solution, ideal for those wishing to replace their windows in the frame of energy saving government funded programmes.



SLIDING
SUCCESSIVE
CONSTRUCTIONS

INWALL SLIDING
SUCCESSIVE
CONSTRUCTIONS

	2-Sash		4-Sash meeting stile
	2-Sash with flyscreen		4-Sash meeting stile with flyscreen
	2-Sash with flyscreen - glazing combination		
	1-Sash inwall with flyscreen		2-Sash inwall with flyscreen
	1-Sash inwall with shutter		2-Sash inwall with shutter
	1-Sash inwall with flyscreen and shutter		2-Sash inwall with flyscreen and shutter

TECHNOLOGY

- 1

Flat track height **34mm**.
Visible surface **100mm**
- 2

Excellent operation even under extreme sun light thanks to **anti-distortion polyamides** also minimize the banana effect
- 3

Option for single or double glazing up to **24mm**
- 4

Four mullion width types **25mm, 56mm, 79mm and 92mm**
- 5

Track cutting **45°** and Glazing sash cutting **45°, 90°**



IDENTITY

DESIGN

PROPERTIES

PERFORMANCE

ENERGY

EXTRA
FEATURES

HANDLES FOR UNIQUE
STYLE

COLORS



Inner Handle



Outer Flush Pull



Flyscreen Flush Pull



Black



Inox Satine



Natural Anodized

Sash Depth			33 mm
Visible Height		[sash 88 mm]	113 mm
		[sash 75 mm]	100 mm
Middle Mullion Width Successive		[sash 88 mm]	92 mm
		[sash 75 mm]	79 mm
		[sash 53 mm]	56 mm
		[sash 25 mm]	25 mm
Meeting Stile Construction Width Meeting Stile		[sash 88 mm]	194 mm
		[sash 75 mm]	168 mm
Max Sash Height			2.400 mm
Max Sash Width			1.300 mm
Max Sash Weight			120 kg
Max Glass Thickness			24 mm

2-Sash successive construction 2.600 x 2.400 mm	Uw ≥ 1.72 W/m²K
Double glazing, Ug = 1.1 W/m²K with Swisspacer Ultimate	



SEE LIFE FROM A DIFFERENT
VIEW THROUGH ELVIAL'S
ALUMINIUM SYSTEMS

DISCOVER OUR INNOVATIVE TECH

ELVIAL I² INSULATION TECHNOLOGY
ELVIAL PRE-ANODIZING 2IN1

DISCOVER MORE ARCHITECTURAL SYSTEMS

ELVIAL SL33 FLAT EDITION
ELVIAL SL33 CLASSIC

ESSENCE W67 HI²
ESSENCE W67BS HI²
ESSENCE W67ST HI²

ELVIAL W59 SI²
ELVIAL W60BS SI²

ELVIAL SL46 SI² FLAT EDITION
ELVIAL SL46 SI² CLASSIC

ESSENCE D67 HI²

ESSENCE SD55
ESSENCE CLADDING CL180

elvial.com

While every effort has been made to ensure information accuracy,
ELVIAL bears no responsibility for typographic errors or omissions.
Photographs may differ from the actual product.
This document is subject to change without prior notice.
Copyright © ELVIAL 2026 G.EM.I 014493035000



ELV1TRIFOLD533.GR.202603